



# THE MOST ADVANCED RAM HEAVY DUTY PICKUPS EVER

RAM

----

**THE NEW 2025 RAM HEAVY DUTY.** Long-proven, credential-loaded Ram Heavy Duty trucks were born to deliver and built to serve. From the jobsite to the campsite, capability and strength let you haul and pull with confidence. Technology both under the hood and inside the cabin makes the drive more efficient, easier and all-around entertaining. This is the lineup for those who want to get it done, no excuses.



# **TRADESMAN**<sup>®</sup>

Cloth-

Black

Available



#### STANDARD FEATURES:

#### POWERTRAIN

Standard 6.4L HEMI® V8 Variable Valve Timing (VVT) with Multi-Displacement System (MDS)/8-speed automatic Optional 6.7L Cummins® Turbo Diesel High Output/8-speed automatic

#### **INTERIOR AMENITIES**

Vinyl 40/20/40 front bench seat with manual-adjust 20-percent fold-down center bench seat with integrated armrest Full-folding rear bench seat (Crew Cab) Base door trim panel Black instrument panel Uconnect<sup>®</sup> 5 with 8.4-inch touchscreen display Urethane steering wheel Manual tilt steering column Manual Temperature Control Vinyl floor covering 3.5-inch Thin Film Transistor (TFT) color Driver Information Display cluster 3 USB ports—2 located on lower instrument panel and 1 in upper lid of bench seat

#### EXTERIOR FEATURES

#### Black grille Black front and rear bumpers LED reflector headlamps Black headlamp bezels LED fog lamps 17- or 18-inch Black-painted steel wheels Black door handles Incandescent taillamps **BSW All-Season tires** Tow hooks

#### **CAPABILITY & FUNCTIONALITY**

Trailer Light Check Trailer Brake Controller Electronic shift-on-the-fly part-time transfer case (4x4 only) Keyless push-button start Class V hitch receiver Trailer-tow wiring with 4- and 7-pin connector Front heavy-duty shocks with Frequency Response Damping (FRD) Rear heavy-duty shocks with FRD Rear fixed window Active arille shutters Front air dam LED hitch lamp in tailgate

#### **SAFETY & SECURITY**

Adaptive Cruise Control with Stop1\* Full-Speed Forward Collision Warning Plus<sup>2</sup> Pedestrian/Cyclist Emergency Braking<sup>2</sup> 6 air bags<sup>3</sup> including driver and front-passenger, side-curtain and front-seat side-mounted Electronic Stability Control (ESC)<sup>4</sup> Antilock 4-wheel disc brakes Sentry Key<sup>®</sup> Theft Deterrent System Tire Pressure Monitoring System with display ParkView<sup>®</sup> Rear Back-Up Camera<sup>5</sup> Rear-Seat Reminder Alert Tailgate-Ajar Warning Lamp



17-inch **Black-Painted Steel** Standard (2500 only) (WAA)

Heavy-Duty Vinyl-

**Diesel Gray/Black** 

Standard




18-inch **Black-Painted Steel** Standard on 3500 (WBF)



18-inch **Chrome-Clad Steel** Included with Chrome Appearance Group or Tradesman Level 2 Equipment Group (WBH)

#### TRADESMAN CONFIGURATIONS



**Tradesman Power Wagon Package** Includes hill descent control, electronic locking front and rear differentials, 4.10 axle ratio, skid plates for fuel tank and transfer case, front electric winch, Black wheel flares, Black powder coated front and rear bumpers, electric front disconnecting sway bar, Ram Articulink<sup>®</sup> front suspension, Off Road performance tuned front and rear shocks, 17-inch Black painted aluminum wheels with OWL All Terrain tires and Parksense front



**TRADESMAN SRW WHEELS** 

**TRADESMAN SEATS** 

17-inch **Black-Painted Aluminum** Included with Power Wagon<sup>®</sup> Package (2500 only) (WF2)

#### APPEARANCE PACKAGES

and rear Park Assist<sup>6</sup>

#### TRADESMAN DRW WHEELS



17-inch **Black-Painted Steel** Standard (WFG)



17-inch **Polished Aluminum** Included with Chrome Appearance Group (WF7)

\*All disclaimers can be found on the last page.



#### STANDARD FEATURES; INCLUDES SELECT TRADESMAN® FEATURES PLUS:

#### POWERTRAIN

Standard 6.4L HEMI® V8 Variable Valve Timing (VVT) with Multi-Displacement System (MDS)/8-speed automatic Optional 6.7L Cummins® Turbo Diesel High Output/8-speed automatic

#### **INTERIOR AMENITIES**

Cloth 40/20/40 front bench seat Cloth full-folding rear bench seat (Crew Cab) Carpet floor covering Manual 4-way driver and front-passenger seats Premium vinyl door trim panel Uconnect<sup>®</sup> 5 with 8.4-inch touchscreen display

#### **EXTERIOR FEATURES**

Chrome-surround/Black-insert grille Chrome bumpers 18-inch Polished aluminum wheels Black door handles Big Horn/Lone Star<sup>7</sup> badge

## SAFETY & SECURITY

Adaptive Cruise Control with Stop<sup>1</sup> Full Speed Forward Collision Warning Plus Pedestrian/Cyclist Emergency Braking<sup>2</sup> 6 air bags<sup>3</sup> including driver and front-passenger, side-curtain and front-seat side-mounted Electronic Stability Control (ESC)<sup>4</sup> Antilock 4-wheel disc brakes Sentry Key<sup>®</sup> Theft Deterrent System Tire Pressure Monitoring System with display ParkView<sup>®</sup> Rear Back-Up Camera<sup>5</sup> Rear-Seat Reminder Alert Tailgate-Ajar Warning Lamp ParkSense<sup>®</sup> Front and Rear Park Assist<sup>6</sup>



**BIG HORN/LONE STAR' SEAT** 

Cloth-

Black

Standard

#### 18-inch Polished Aluminum Standard WBE)

**Black-Painted Aluminum** Included with Night Edition

## APPEARANCE PACKAGES


## **Night Edition**



## **BIG HORN/LONE STAR' SRW WHEELS**



#### **BIG HORN/LONE STAR<sup>4</sup> CONFIGURATIONS**





Sport Appearance Package

## Includes body-color grille surround and body-color bumpers, Sport decal and Black

**BIG HORN<sup>®</sup>/LONE STAR'** 



For Crew Cab only. Includes body-color for the upper and lower grille surround, door handles and bumpers; Black headlamp and taillamp bezels and badging; Black-painted grille; ParkSense Front and Rear Park Assist<sup>6</sup>; and Blackpainted aluminum wheels

#### **BIG HORN/LONE STAR' DRW WHEELS**



17-inch **Polished Aluminum** Standard (WF7)



17-inch **Black-Painted Aluminum** with Machined Eyelets **Included with Night Edition** (WFQ)



#### STANDARD FEATURES; INCLUDES SELECT BIG HORN®/LONE STAR7 FEATURES PLUS:

#### POWERTRAIN

Standard 6.4L HEMI® V8 Variable Valve Timing (VVT) with Multi-Displacement System (MDS)/8-speed automatic Optional 6.7L Cummins<sup>®</sup> Turbo Diesel High Output/8-speed automatic

#### **INTERIOR AMENITIES**

Leather-trimmed 40/20/40 front bench seat Power front seats (with 2-way power lumbar adjust)

- Heated front seats
- Leather-wrapped steering wheel with heat Leather-trimmed 60/40 split-folding rear bench seat
- 12-inch Driver Information Display digital cluster

10-speaker premium audio system with subwoofer

SiriusXM<sup>®</sup> with 360L<sup>8</sup>

- Uconnect<sup>®</sup> 5 NAV with 12-inch touchscreen display
- 5 USB ports, 2 power outlets

LED ambient interior lighting

Universal Garage Door Opener Dual-Zone Automatic Temperature Control

#### **EXTERIOR FEATURES**

Chrome mirror caps Chrome-surround/chrome billet grille Body-color front and rear bumpers Body-color door handles Damped tailgate 18-inch diamond-cut aluminum wheels with Black-painted pockets **BSW All-Season tires** Laramie badge

#### **CAPABILITY & FUNCTIONALITY**

Electronic shift-on-the-fly part-time transfer case (4x4 only) Trailer Brake Controller

#### **SAFETY & SECURITY**

Security alarm<sup>9</sup> Remote proximity passive entry/keyless push-button start Blind Spot Monitoring (BSM)<sup>10</sup> with Rear Cross-Path Detection5 Remote Start System<sup>11</sup> Tailgate-Ajar Warning Lamp



18-inch **Diamond-Cut Aluminum with** Black-Painted Pockets Standard (WBC)

Leather-Trimmed-

Available with Black

interior selection

Black



LARAMIE SEATS

LARAMIE SRW WHEELS

20-inch **Polished Aluminum** Included with Sport Appearance Package (WRJ)

**LARAMIE**<sup>®</sup>

Leather-Trimmed—

Sea Salt/Bison Brown

Brown interior selection

Available with Sea Salt/Bison



## Sport Appearance Package



**Night Edition** 





20-inch **Black-Painted Aluminum Included with Night Edition** (WF3)

#### LARAMIE CONFIGURATIONS

CABS		BO)	(ES	BOXES, 3500	D DRW ONLY	SEATING		
REGULAR CAB CREW CAB	MEGA CAB®	SRW: 6' 4" BOX	SRW: 8' BOX	DRW: 6' 4" BOX	DRW: 8' BOX	40/20/40 SPLIT BENCH SEAT	BUCKET SEATS	
NOT AVAILABLE AVAILABLE	/AILABLE AVAILABLE AVAILABLE		CREW CAB	MEGA CAB	CREW CAB	STANDARD	AVAILABLE	

SRW = Single Rear Wheel DRW = Dual Rear Wheel



#### APPEARANCE PACKAGES

Includes Sport Performance Hood, body-color grille surround, Sport decal and polished aluminum wheels

Includes Sport Performance Hood; body-color grille surround; Black exterior mirrors, Black headlamp and taillamp bezels and badging; Black-painted billet grille; and Black-painted

### LARAMIE DRW WHEELS

17-inch **Polished Aluminum** Standard (WF7)



17-inch **Black-Painted Aluminum** with Machined Eyelets **Included with Night Edition** (WFQ)



#### STANDARD FEATURES; INCLUDES SELECT BIG HORN®/LONE STAR7 FEATURES PLUS:

#### POWERTRAIN

Standard 6.4L HEMI® V8 Variable Valve Timing (VVT) with Multi-Displacement System (MDS)/8-speed automatic Optional 6.7L Cummins® Turbo Diesel High Output/8-speed automatic

#### **INTERIOR AMENITIES**

Unique Black interior trim Vinyl/cloth 40/20/40 front bench seat Vinyl/cloth 60/40 split-folding rear bench seat Power driver seat (with 2-way power lumbar adjust) 12-inch Driver Information Display digital cluster 115-volt outlet SiriusXM<sup>®</sup> with 360L<sup>8</sup> Uconnect<sup>®</sup> 5 NAV with 12-inch touchscreen display

#### **EXTERIOR FEATURES**

Black-surround unique grille Powder-coated bumpers Black door handles Unique Black wheel flares 20-inch Black-painted with Diamond-Cut aluminum wheels **BSW All-Terrain tires** Unique Ram scripted tailgate with damped opening assist

#### **CAPABILITY & FUNCTIONALITY**

Electronic shift-on-the-fly part-time transfer case Bilstein® off-road shocks Tow hooks Fuel tank skid plate Transfer case skid plate Front suspension skid plate Electronic locking rear axle

#### **SAFETY & SECURITY**

Hill Descent Control Blind Spot Monitoring (BSM)<sup>10</sup> with Rear Cross-Path Detection<sup>5</sup> Remote Start System<sup>11</sup> Tailgate-Ajar Warning Lamp



Premium Leather-Trimmed Buckets-Black Included with Rebel Level 2 Equipment Group

#### **REBEL CONFIGURATIONS (2500 ONLY) -**

	CABS		BOX	KES	BOXES, 350	O DRW ONLY	SEA	TING						
REGULAR CAB	CREW CAB	MEGA CAB®	SRW: 6' 4" BOX				40/20/40 SPLIT BENCH SEAT	BUCKET SEATS						
NOTAVAILABLE	STANDARD	NOTAVAILABLE	STANDARD	NOTAVAILABLE	NOTAVAILABLE	NOTAVAILABLE	STANDARD	AVAILABLE						
SRW = Single Rear Wheel DRW = Dual Rear Wheel														

# **REBEL**<sup>®</sup>



Vinyl/Cloth Bench-Black Standard



Leather-Trimmed Buckets-Black Included with Rebel Level 1 Equipment Group

**REBEL SEATS** 

#### **REBEL WHEEL**



20-inch **Black-Painted Diamond-Cut Aluminum** Standard (WRD)



# 400000 10.00 -----

#### STANDARD FEATURES; INCLUDES SELECT REBEL® FEATURES PLUS:

#### POWERTRAIN

Standard 6.4L HEMI® V8 Variable Valve Timing (VVT) with Multi-Displacement System (MDS)/8-speed automatic

#### **INTERIOR AMENITIES**

Unique Black interior trim Vinyl/cloth 40/20/40 front bench seat Vinyl/cloth 60/40 split-folding rear bench seat Power driver seat (with 2-way power lumbar adjust) 12-inch Driver Information Display digital cluster 115-volt outlet SiriusXM<sup>®</sup> with 360L<sup>8</sup> Uconnect<sup>®</sup> 5 NAV with 12-inch touchscreen display

#### **EXTERIOR FEATURES**

Black-surround unique grille Powder-coated bumpers Black door handles Unique Black wheel flares 17-inch Black-painted aluminum wheels OWL On-/Off-Road tires Unique Ram scripted tailgate with damped opening assist

#### **CAPABILITY & FUNCTIONALITY**

Electronic shift-on-the-fly part-time transfer case Bilstein® off-road shocks Tow hooks Fuel tank skid plate Ram Articulink<sup>®</sup> front suspension Electronic disconnecting front sway bar Transfer case skid plate Front suspension skid plate Electronic locking front and rear axles Raised ride height

#### **SAFETY & SECURITY**

Hill Descent Control Blind Spot Monitoring (BSM)<sup>10</sup> with Rear Cross-Path Detection<sup>5</sup> Remote Start System<sup>11</sup> Tailgate-Ajar Warning Lamp



Vinyl/Cloth Bench-



**POWER WAGON SEATS** 

Leather-Trimmed Buckets-Black Included with Power Wagon Level 1 Equipment Group



Premium Leather-Trimmed Buckets-Black Included with Power Wagon Level 2 Equipment Group

#### POWER WAGON CONFIGURATIONS (2500 ONLY) -

		CABS		BO	KES	BOXES, 350	O DRW ONLY	SEATING		
REGUI	LAR CAB	CREW CAB	MEGA CAB®	SRW: 6' 4" BOX		DRW: 6' 4" BOX		40/20/40 SPLIT Bench Seat	BUCKET SEATS	
NOTA	VAILABLE	STANDARD	NOTAVAILABLE	STANDARD	NOTAVAILABLE	NOTAVAILABLE	NOTAVAILABLE	STANDARD	AVAILABLE	

SRW = Single Rear Wheel DRW = Dual Rear Wheel

#### POWER WAGON WHEEL



17-inch **Black-Painted Aluminum** Standard (WF2)

# LIMITED

#### **LIMITED SEATS**





#### STANDARD FEATURES; INCLUDES SELECT LARAMIE® FEATURES PLUS:

#### POWERTRAIN

- Standard 6.4L HEMI® V8 Variable Valve Timing (VVT) with Multi-Displacement System (MDS)/8-speed automatic Optional 6.7L Cummins® Turbo Diesel High
- Output/8-speed AISIN<sup>®</sup> automatic

#### **INTERIOR AMENITIES**

- Limited-specific premium leather trim and wood interior treatment Premium leather bucket front seats with full-length center console Premium leather 60/40 split-folding rear bench seat with fold-down armrest 12-inch full-digital Driver Information Display digital cluster Leather-wrapped/real-wood steering wheel Uconnect<sup>®</sup> 5 NAV with 14.5-inch touchscreen display 10.25-inch front-passenger interactive display
- Premium rubber slush mats with removable carpet inserts Dual wireless charging pads

#### **EXTERIOR FEATURES**

Unique Limited-specific grille Limited badge Chrome bodyside molding LED taillamps LED fog lamps Body-color front and rear bumpers 20-inch Diamond-Cut aluminum wheels with Black-painted pockets **BSW All-Season tires** Tow hooks Chrome window moldings Chrome wheel-to-wheel side steps Body-color wheel flares

#### **CAPABILITY & FUNCTIONALITY**

Power-release tailgate Electronic shift-on-the-fly part-time transfer case

#### **SAFETY & SECURITY**

Blind Spot Monitoring (BSM)<sup>10</sup> with Rear Cross-Path Detection<sup>5</sup> Rain-sensitive windshield wipers Directional headlamps (Adaptive Forward Lighting System) Auto High-Beam Headlamp Control



Premium Leather-Trimmed Buckets-Black Available with Black interior selection

#### LIMITED SRW WHEELS



20-inch **Diamond-Cut Aluminum with Black-Painted Pockets** Standard (WHC)



20-inch **Black-Painted Aluminum Included with Night Edition** (WHD)



**Premium Leather-Trimmed** Buckets-Ebony Red/Black Available with Ebony Red/Black interior selection



**Chrome Bumper Package** Includes chrome front and rear bumpers

**Night Edition** 

#### LIMITED DRW WHEELS




17-inch **Polished Aluminum** Standard (WF7)





17-inch **Black-Painted Aluminum** with Machined Eyelets **Included with Night Edition** (WFQ)

#### LIMITED CONFIGURATIONS



SRW = Single Rear Wheel DRW = Dual Rear Wheel

#### APPEARANCE PACKAGES

Includes Sport Performance Hood, Black tow hooks, Black mirrors, Black badges, Black headlamp and taillamp bezels, body-color grille surround, body-color bumpers, Black grille inserts and Black-painted aluminum wheels



#### STANDARD FEATURES; INCLUDES SELECT LIMITED FEATURES PLUS:

#### POWERTRAIN

Standard 6.4L HEMI® V8 variable Valve Timing (VVT) with Multi-Displacement system (MDS)/8-speed automatic Optional 6.7L Cummins Turbo Diesel High Output/8-speed automatic

#### **INTERIOR AMENITIES**

Limited Longhorn specific premium leather trim and wood interior treatment Premium leather bucket front seats with full-length center console Premium leather 60/40 split-folding rear bench seat with fold-down armrest Heated front and rear outboard seats Ventilated front seats Leather-wrapped/real-wood steering wheel 12-inch Driver Information Display with digital cluster Uconnect<sup>®</sup> 5 NAV with 14.5-inch touchscreen display Premium rubber slush mats with removable carpet inserts Power-sliding rear window 10.25-inch front-passenger interactive display Dual wireless charging pads

#### **EXTERIOR FEATURES**

Premium LED projector headlamps LED taillamps LED fog lamps Body-color front and rear bumpers 20-inch Diamond-Cut aluminum with Black-painted pockets **BSW All-Season tires** Tow hooks Chrome window moldings Chrome wheel-to-wheel side steps Body-color wheel flares Limited Longhorn badge

#### **CAPABILITY & FUNCTIONALITY**

Power-release tailgate Electronic shift-on-the-fly part-time transfer case

#### **SAFETY & SECURITY**

Rain-sensitive windshield wipers Directional headlamps (Adaptive Forward Lighting System) Auto High-Beam Headlamp Control Tailgate-Ajar Warning Lamp



# LIMITED LONGHORN<sup>®</sup>

#### LIMITED LONGHORN SEAT

**Bison Brown/Mountain Brown** Standard

#### **Chrome Bumper Package** Includes chrome front and rear bumpers








20-inch **Diamond-Cut Aluminum with Black-Painted Pockets** Standard (WHC)

#### - LIMITED LONGHORN SRW WHEEL - LIMITED LONGHORN DRW WHEEL -




17-inch **Polished Aluminum** Standard (WF7)

#### LIMITED LONGHORN CONFIGURATIONS



#### **APPEARANCE PACKAGE**

#### RAM 2500/3500 EXTERIOR COLORS







CERAMIC GREY (PDN) Limited Availability

with DIAMOND BLACK CRYSTAL PEARL lower



#### PAINT COLOR AND TWO-TO

	BRIGHT WHITE	SILVER ZYNITH	GRANITE CRYSTAL METALLIC	DIAMOND BLACK CRYSTAL PEARL	FORGED BLUE METALLIC	RED HOT PEARL	FLAME RED	HYDRO BLUE PEARL	CERAMIC GREY
TRADESMAN <sup>®</sup>	М	М	М	М	М	М	М	N/A	N/A
BIG HORN®/LONE STAR7	М	М	М	М	М	М	М	N/A	М
LARAMIE®	М	М	М	М	М	М	М	N/A	М
REBEL®	M	M	M	М	M	M	M	M	M
POWER WAGON®	M	М	М	М	М	М	М	М	М
LIMITED	М	М	М	М	М	М	М	N/A	М
LIMITED LONGHORN®	М	М	М	М	М	М	N/A	N/A	N/A
M = Monotone Paint 🛛 = Diamo	ond Blac	, k Crysta	l Pearl Lo	wer Two	o-Tone	N/A = N	Vot Availa	ble	

To see examples of possible paint combinations, visit **RAM.COM** 

### 

#### 2500/3500 INTERIOR DIMENSIONS

All specs based on models only;	REGULAR CAB	CREW CAB	MEGA CAB®
in inches unless otherwise noted.	8'BOX	6' 4" BOX	6' 4" BOX
HEAD ROOM, FRONT/REAR	39.8	40.9/39.8	40.9/40.3
LEG ROOM, FRONT/REAR	40.9	40.9/40.2	40.9/43.1
SHOULDER ROOM, FRONT/REAR	65.9	65.9/65.6	65.9/65.6
HIP ROOM, FRONT/REAR	62.9	62.9/62.7	62.9/62.8
BEHIND SECOND ROW (CU FT)	N/A	N/A	12.1
TOTAL INTERIOR VOLUME (CU FT)	62.5	124.6	142.0

#### **2500 EXTERIOR DIMENSIONS**

All specs based on models only;	REGULAR CAB	CREV	VCAB	MEGA CAB (4x4 ONLY)
in inches unless otherwise noted.	8' BOX	6' 4" BOX	8'BOX	6' 4" BOX
OVERALL BODY WIDTH	83.5	83.5	83.5	83.5
OVERALL HEIGHT (4x2/4x4)	78.0/80.2	78.2/80.2	78.1/80.1	80.1
OVERALL LENGTH	232.0	238.8	260.8	249.9
TRACK—FRONT	68.7	68.7	68.7	68.7
TRACK-REAR	68.1	68.1	68.1	68.1
WHEELBASE	140.2	149.1	169.0	160.4
BOX HEIGHT	20.2	20.1	20.2	20.1
BOX LENGTH	98.3	76.3	98.3	76.3
BOX WIDTH, WALL TO WALL	66.4	66.4	66.4	66.4
BOX WIDTH, BETWEEN WHEEL HOUSINGS	51.0	51.0	51.0	51.0

#### **3500 EXTERIOR DIMENSIONS**

All specs based on models only;	REGU	LAR CAB		CREW CAB		MEGA CAB	(4x4 ONLY)
in inches unless otherwise noted.	8' BOX	8' BOX DRW	6' 4" BOX	8' BOX	8' BOX DRW	6' 4" BOX	6' 4" BOX DRW
OVERALL WIDTH	83.5	96.5	83.5	83.5	96.5	83.5	96.5
OVERALL HEIGHT (4x2/4x4)	78.3/80.4	77.8/79.5	78.3/80.3	78.4/79.8	77.1/79.3	79.9	78.9
OVERALL LENGTH	232.0	232.0	238.8	260.8	260.8	249.9	250.0
TRACK—FRONT	67.7	67.7	67.7	67.7	67.7	67.7	67.7
TRACK-REAR	67.1	75.9	67.1	67.1	75.9	67.1	75.9
WHEELBASE	140.2	140.2	149.0	169.3	169.0	160.0	160.0
BOX HEIGHT	20.2	20.2	20.1	20.2	20.2	20.1	20.1
BOX LENGTH	98.3	98.3	76.3	98.3	98.3	76.3	76.3
BOX WIDTH, WALL TO WALL	66.4	66.4	66.4	66.4	66.4	66.4	66.4
BOX WIDTH, BETWEEN WHEEL HOUSINGS	51.0	51.0	51.0	51.0	51.0	51.0	51.0

#### 2500 PAYLOAD SPECIFICATIONS<sup>12</sup>

		REGUL	AR CAB		CRE	W CAB		MEGA CAB
Maximum payload capacities.		6'4"	BOX	6' 4'	BOX	8' 6	6' 4" BOX	
	GVWR <sup>13</sup>	4x2	4x4	4x2	4x4	4x2	4x4	4x4
	8,565				1,600			
6.4L HEMI® V8/8HP75 8-SPEED	9,900	3,870	3,540	3,530	3,240	3,390	3,060	
	10,000	3,970	3,660	3,630	3,350	3,490	3,150	
	9.900		2,500	2,490	2,250	2,370	2,040	1,850
6.7L CUMMINS® HIGH OUTPUT TURBO DIESEL 16/ 8-SPEED	10,000		2,600	2,590	2,330	2,490	2,150	1,920
	10,190		2,790	2,780	2,520	2,680	2,340	2,110

#### 3500 PAYLOAD SPECIFICATIONS<sup>12</sup>

			REGUL	AR CAB				CREW	/ CAB			MEG	ACAB
Maximum payload capacities.		8'E	OX	8' BO)	8' BOX DRW		BOX	8'B	OX	8' BO	X DRW	6' 4" BOX	6' 4" BOX DRW
	GVWR <sup>17</sup>	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x4	4x4
	10,750	4,680				4,300							
	11,040		4,580				4,250						
6.4L HEMI® V8/8HP75 8-SPEED	11,150							4,520					
	11,440								4,440				
	14,000			7,660	7,210					7,020	6,640		
	11,500					4,040							
	11,800						3,990						
	11,830		4,370										
6.7L CUMMINS HIGH OUTPUT TURBO DIESEL 16/	12,000							4,400					
8-SPEED	12,300								4,310			4,120	
	13,500				5,580					5,390	5,060		4,930
	14,000				6,050					5,890	5,540		5,240

Notes regarding the charts above: DRW = Dual Rear Wheel. Weights given in Ib. Numbers in Black boxes reflect the maximum of that class. Weights are estimated values rounded to the nearest 10 Ib. Payload = GWR - Base Weight. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclu

#### 2500 TOWING SPECIFICATIONS<sup>12</sup> – SAE J2807 STANDARD COMPLIANT

			REGUL	AR CAB		CRE	W CAB		MEGA CAB®
			8' B	OX	6' 4'	"BOX	8'	6' 4" BOX	
	AXLE RATIO	<b>GCWR</b> <sup>13</sup>	4x2	4x4	4x2	4x4	4x2	4x4	4x4
	3.73	22,050	15,550	15,240	15,210	14,930	15,070	14,730	14,490
6.4L HEMI V8/ 8HP75 8-SPEED	4.10	18,000				10,560			
	4.10	24,250	17,750	17,440	17,410	17,130	17,270	16,930	16,690
	3.42	23,783							15,260
	3.42	24,290							15,730
	3.42	25,748						17,410	
	3.42	26,580						18,260	
6.7L CUMMINS HIGH	3.42	27,794				19,670			
OUTPUT TURBO DIESEL 16/ 8-SPEED	3.42	27,820		19,950					
	3.42	27,870			19,980				
	3.42	27,989					20,000		
	3.42	28,003					20,000		
	3.42	28,110				19,970			

Notes regarding the charts above: DRW = Dual Rear Wheel. Weights given in Ib. Numbers in Black boxes reflect the maximum of that class. Weights are estimated values rounded to the nearest 10 Ib. Payload = GWR - Base Weight. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GWR of 13,800 Ib. Payload and Trailer Weight Rating are mutually exclu

#### **3500 TOWING SPECIFICATIONS<sup>12</sup> −** SAE J2807 STANDARD COMPLIANT

				REGUL	AR CAB				CREV	VCAB			MEG	ACAB
		=	8'	вох	8' BO	X DRW	6' 4'	BOX	8'E	SOX	8' BO	X DRW	6' 4" BOX	6' 4" BOX DRW
	AXLE RATIO	GCWR <sup>13</sup>	4x2	4x4	4x4	4x4								
	3.73	22,000	15,460	15,070			15,080	14,740	14,900	14,530				
	3.73	22,600			15,790	15,340					15,150	14,770		
6.4L HEMI V8/ 8HP75 8-SPEED	4.10	24,230		17,300					17,140					
	4.10	24,240	17,700				17,320	16,980		16,770				
	4.10	25,000			18,190	17,740					17,550	17,170		
	3.42	31,748					23,820							
	3.42	31,765						23,490						
	3.42	32,720											24,070	
	3.42	33,530							25,460					
	3.42	33,610								25,150				
	3.42	33,920		25,990										
6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I6/ 8-SPEED	3.42	38,776												29,740
8-SPEED	3.42	39,490										30,580		
	3.42	41,383									32,800			
	3.42	41,990												32,940
	3.42	42,481				34,100								
	3.42	42,739										33,810		
	3.42	43,040									34,460			
	3.42	45,000				36,580								

Notes regarding the charts above: DRW = Dual Rear Wheel. Weights given in lb. Numbers in Black boxes reflect the maximum of that class. Payload and Max Trailer Weight are ESTIMATED values and rounded to the nearest 10 lb. Payload = GWWR should never be exceeded. Trailer Weight fating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2807. Passenger Weight = 300 lb. Options Weight = 100 lb. Trailering Equipment Weight: 75 lb for conventional hitch, 70 lb for gooseneck and 250 lb for fifth wheel. Tongue weight for a fifth-wheel or gooseneck hitch. Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailering equipment and tongue weight. Box Off Body Completion Weight = 80 lb per foot from end of cab to end of frame. The maximum tongue weight for Class V (hitch receiver) is limited to 1,800 lb. A fifth-wheel or gooseneck hitch is required for trailers over 18,000 lb. The 13,800 lb. Che Class V (hitch receiver) is limited to 1,800 lb. A fifth-wheel or gooseneck hitch is required for trailers over 18,000 lb. The 13,800 lb. Che Class V (hitch receiver) is limited to 1,800 lb. A fifth-wheel or gooseneck hitch is required for trailers over 18,000 lb. The 13,800 lb. Che Class V (hitch receiver) is limited to 1,800 lb. A fifth-wheel or gooseneck hitch is required for trailers over 18,000 lb. The 13,800 lb. Che Class V (hitch receiver) is limited to 1,800 lb. A fifth-wheel or gooseneck hitch is required for trailers over 18,000 lb. The 13,800 lb. Che Class V (hitch receiver) is limited to 1,800 lb. A fifth-wheel or gooseneck hitch is required for trailers over 18,000 lb. The 13,800 lb. Che Class V (hitch receiver) is limited to 1,800 lb. A fifth-wheel or gooseneck hitch is required for trailers over 18,000 lb. The 13,800 lb. Che Class V (hitch receiver) is limited to 1,800 lb. A fifth-wheel or gooseneck hitch is required for trailers over 18,000 lb. The 13,800 lb. Che Class V (hitch receiver) is limited to 1,800 lb. A fifth-wheel or goosen

## 

1 This system is a driver's convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. 2 This system is an alert system for the front of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use brakes to avoid collisions. 3 Always sit properly in designated seating positions with seat belts securely fastened at all times. 4 Always drive carefully, consistent with conditions. Always wear your seat belt and obey traffic laws. 5 Always check entire surroundings visually before proceeding. 6 Always look before proceeding. An electronic drive aid is not a substitute for conscientious driving. Always be aware of your surroundings. 7 Lone Star model available only in Texas. 8 SiriusXM with 360L is only available on select vehicles. Certain features and/or content may not be available unless an active data connection is enabled in the vehicle. Outent varies by subscription plan. Features and display may vary by vehicle. 9 Vehicle must be locked and system activated for alarm to sound. 10 Always check visually for vehicles prior to changing lanes. 11 Check state and local laws regarding the use of remote start systems. 12 Max payload/towing ratings shown are for base configuration. Additional options, equipment, passengers, and cargo weight may affect payload/towing weights. Contact dealer for details. 13 Assumes properly equipped vehicle and 150-lb allowance for driver. Additional options, equipment, passengers, and cargo weight must be subtracted. Contact dealer for details.

©2025 FCA US LLC. All Rights Reserved. Ram, Big Horn, HEMI, LaneSense, Laramie, Limited Longhorn, Mega Cab, ParkSense, ParkView, Power Wagon, Ram Articulink, the Ram's Head logo, Rebel, Sentry Key, Tradesman and Uconnect are registered trademarks of FCA US LLC.

Bilstein is a registered trademark of August-Bilstein GmbH & Co. Cummins is a registered trademark of Cummins, Inc. AISIN is a registered trademark of Aisin Seiki Co., Ltd. SiriusXM Connected Vehicles Services Inc., Sirius, XM, SiriusXM, and all related marks and logos are registered trademarks of SiriusXM Radio Inc. Facebook and logo are registered trademarks of Meta Platforms, Inc. The Twitter logo is a service mark of Twitter, Inc. Instagram and logo are registered trademarks of Instagram, Inc. LinkedIn, the LinkedIn logo, the IN logo and InMail are registered trademarks or trademarks of LinkedIn Corporation and its affiliates in the United States and/or other countries. TikTok is a trademark of ByteDance Ltd. The X service marks (formerly Twitter) are the intellectual property of X Corp. YouTube is a trademark of Google LLC.

This brochure is a publication of FCA US LLC. All product illustrations and specifications are based upon current information at the time of publication approval. FCA US LLC reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models which are considered necessary to the purpose of product improvement or for reasons of design and/or marketing.

## RAM.COM

RAM IS A REGISTERED TRADEMARK OF FCA US LLC.

01/25